

Horno mixto con control digital



nr. 6
GN 2/3



mod.	mm.	O - GN	q.ty	kW	kW	Σ kW	Volt Hz 50	mm.	mm.	mm.
F23ET-8	600x580x645H		6 GN2/3	5.7	0,3	6	400/3N+T	60	53	0,50

Comandi Digitali - 7 Memorie | Digital controls - 7 Memories | Commandes digitales - 7 Mémoires
Digitale Steuerungen - 7 Speicher | Comandos digitales - 7 Memorias



mod.	mm.	
SUP-23	600x590x900H	6 GN 2/3

Supporto per forno completo di nr. 6 guide porta teglie
Oven support complete with no. 6 pans rack-holder
Support pour four avec nr. 6 glissières porte-plateaux
Ofen-Untergestell komplett für 6 Auflage-Schienen
Soporto para horno completo de no.6 guías porta bandejas

Horno mixto con control touch sreen



mod. 6GTL-T



mod. F40GT-T

mod.	mm.	O - GN			kW	Volt Hz 50	mm.	mm.	mm.
		q.ty	kW	kCal/h					
6GTL-T	870x745x842H	6 GN1/1	14,0	12.040	0,3	230/1N+T	78	130	0,80
10GT-T	940x997x1.082H	10 GN1/1	19,0	16.340	0,3	230/1N+T	70	160	1,30
F2011GT-T	970x997x1.900H	20 GN1/1	30,0	25.800	0,6	230/1N+T	70	460	3,4
F20GT-T	1.220x998x1.096H	10 GN2/1-20 GN1/1	22,0	18.986	0,5	230/1N+T	70	245	2,0
F40GT-T	1.220x997x1.900H	20 GN2/1-40 GN1/1	50,0	43.000	1,0	230/1N+T	70	650	4,5

Comandi touch screen - 99 Memorie | Touch screen controls - 99 Memories | Commandes touch screen - 99 Mémoires
 Touch Screen Steuerung - 99 Speicher | Comandos touch screen - 99 Memorias

Horno mixto con control touch screen



mod. 10GT-B-T



mod. F20GT-B-T

mod.	mm.	O - GN			Σ kW	Volt Hz 50	mm.	mm.	mm.
		q.ty	kW	kCal/h					
6GTL-B-T	870x745x842H	6 GN1/1	14,0	12.040	3,3	400/3N+T	78	130	0,80
10GT-B-T	940x997x1.082H	10 GN1/1	19,0	16.340	3,3	400/3N+T	70	170	1,30
F2011GT-B-T	970x997x1.900H	20 GN1/1	30,0	25.800	9,3	400/3N+T	70	460	3,4
F20GT-B-T	1.220x998x1.096H	10 GN2/1-20 GN1/1	22,0	18.986	3,3	400/3N+T	70	245	2,0
F40GT-B-T	1.220x997x1.900H	20 GN2/1-40 GN1/1	50,0	43.000	9,3	400/3N+T	70	650	4,5

Comandi touch screen - 99 Memorie | Touch screen controls - 99 Memories | Commandes touch screen - 99 Mémoires
Touch Screen Steuerung - 99 Speicher | Comandos touch screen - 99 Memorias

Horno mixto con control touch screen



mod. 10ET-T



mod. F40ET-T

O - GN

mod.	mm.	 q.ty	 kW	 kW	Σ  kW	Volt Hz 50	 mm.		
6ETL-T	870x745x842H	6 GN1/1	9	0,3	9,3	400/3N+T	78	115	0,80
10ET-T	940x997x1.082H	10 GN1/1	15	0,3	15,3	400/3N+T	70	140	1,30
F2011ET-T	970x997x1.900H	20 GN1/1	30	0,6	30,6	400/3N+T	70	425	3,4
F20ET-T	1.220x998x1.096H	10 GN2/1-20 GN1/1	21	0,5	21,5	400/3N+T	70	225	2,0
F40ET-T	1.220x997x1.900H	20 GN2/1-40 GN1/1	42	1,0	43,0	400/3N+T	70	550	4,5

Comandi touch screen - 99 Memorie | Touch screen controls - 99 Memories | Commandes touch screen - 99 Mémoires
Touch Screen Steuerung - 99 Speicher | Comandos touch screen - 99 Memorias

Horno mixto con control touch sreen










mod. 10ET-B-T



mod. F20ET-B-T

O - GN

mod.	mm.	 q.ty	 kW	 kW	Σ  kW	Volt Hz 50	 mm.		
6ETL-B-T	870x745x842H	6 GN1/1	9	3,3	12,3	400/3N+T	78	120	0,80
10ET-B-T	940x997x1.082H	10 GN1/1	15	3,3	18,3	400/3N+T	70	145	1,30
F2011ET-B-T	970x997x1.900H	20 GN1/1	30	9,3	39,3	400/3N+T	70	430	3,4
F20ET-B-T	1.220x998x1.096H	10 GN2/1-20 GN1/1	21	3,5	24,5	400/3N+T	70	225	2,0
F40ET-B-T	1.220x997x1.900H	20 GN2/1-40 GN1/1	42	9,3	51,3	400/3N+T	70	550	4,5

Comandí touch sreen - 99 Memorie | Touch sreen controls – 99 Memories | Commandes touch sreen – 99 Mémoires
Touch Screen Steuerung – 99 Speicher | Comandos touch sreen – 99 Memorias