


# Cortadoras




mod. GA-M25-MF



mod. GA-M30-TF



mod. GA-P35-TF



mod. GA-G37-TF



Affettatrici a gravità

Aufschnittmaschinen Schräglage





Gravity slicer

Afeitadora de gravedad



Trancheuse à gravité

| mod.      | mm.          | V - Hz 50 | W   | Hp   | Lama   Blade<br>Lames   Blatt<br>Ø | Spessore taglio  <br>Cutting thickness  <br>Epaifeur coupe  <br>Schnitt-Stärke | Piatto   Hopper<br>  Plateau<br>Wagen grösse<br>mm |  |  |
|-----------|--------------|-----------|-----|------|------------------------------------|--|--|---|---|
| GA-M25-MF | 560x570x475H | 230/1N+T  | 147 | 0,20 | 250                                | 0 ÷ 13   | 230x230  | 17  | 0,13  |
| GA-M30-TF | 610x420x510H | 400/3N+T  | 210 | 0,29 | 300                                | 0 ÷ 13   | 250x275  | 24  | 0,25  |
| GA-M30-MF | 610x420x510H | 230/1N+T  | 210 | 0,29 | 300                                | 0 ÷ 13   | 250x275  | 24  | 0,25  |
| GA-P35-TF | 575x710x530H | 400/3N+T  | 370 | 0,5  | 350                                | 0 ÷ 23   | 305x270  | 46  | 0,34  |
| GA-P35-MF | 575x710x530H | 230/1N+T  | 370 | 0,5  | 350                                | 0 ÷ 23   | 305x270  | 46  | 0,34  |
| GA-G37-TF | 680x820x700H | 400/3N+T  | 380 | 0,52 | 370                                | 0 ÷ 25   | 350x320  | 71  | 0,55  |

# Cortadoras



mod. GV-M30-TF



mod. GV-MA35-TF



mod. GV-T37-TF



Affettatrici verticali

Aufschnittmaschinen Vertikal





Vertical Slicer

Afeitadora vertical



Trancheuse verticale

| mod.       | mm.          | V - Hz 50 | W   | Hp   | Lama   Blade<br>Lames   Blatt<br>Ø | Spessore taglio  <br>Cutting thickness  <br>Epaifeur coupe  <br>Schnitt-Stärke | Piatto   Hopper<br>  Plateau<br>Wagen grösse<br>mm |  |  |
|------------|--------------|-----------|-----|------|------------------------------------|--|--|---|---|
| GV-M30-TF  | 540x740x460H | 400/3N+T  | 210 | 0,29 | 300                                | 0 ÷ 13   | 275x260  | 30  | 0,25  |
| GV-M30-MF  | 540x740x460H | 230/1N+T  | 210 | 0,29 | 300                                | 0 ÷ 13   | 275x260  | 30  | 0,25  |
| Standard   |              |           |     |      |                                    |  |  |   |   |
| GV-MA30-TF | 600x750x695H | 400/3N+T  | 275 | 0,37 | 300                                | 0 ÷ 29   | 300x270  | 52  | 0,55  |
| GV-MA30-MF | 600x750x695H | 230/1N+T  | 275 | 0,37 | 300                                | 0 ÷ 29   | 300x270  | 52  | 0,55  |
| GV-MA33-TF | 600x750x705H | 400/3N+T  | 275 | 0,37 | 330                                | 0 ÷ 29   | 300x270  | 53  | 0,55  |
| GV-MA33-MF | 600x750x705H | 230/1N+T  | 275 | 0,37 | 330                                | 0 ÷ 29   | 300x270  | 53  | 0,55  |
| GV-MA35-TF | 600x750x715H | 400/3N+T  | 370 | 0,50 | 350                                | 0 ÷ 29   | 300x270  | 54  | 0,55  |
| GV-MA35-MF | 600x750x715H | 230/1N+T  | 370 | 0,50 | 350                                | 0 ÷ 29   | 300x270  | 54  | 0,55  |
| GV-T37-TF  | 590x805x730H | 400/3N+T  | 380 | 0,52 | 370                                | 0 ÷ 29   | 305x295  | 59  | 0,60  |
| GV-T37-MF  | 590x805x730H | 230/1N+T  | 380 | 0,52 | 370                                | 0 ÷ 29   | 305x295  | 59  | 0,60  |

Professional

Piatto salumi | Salami dish | Pour charcuterie | Platte für Aufschnitt

# Cortadoras





mod. GC-MA33-TF




mod. GC-T37-TF

 Affetta carne verticali    
  Vertical meat slicer    
  Trancheuse à viande vertical  
 Vertikale Fleischschneidmaschine    
  Cortadora de carne vertical

| mod.       | mm.          | V - Hz 50 | W   | Hp   | Lama   Blade<br>Lames   Blatt<br>Ø | Spessore taglio  <br>Cutting thickness  <br>Epaifeur coupe  <br>Schnitt-Stärke | Piatto   Hopper<br>  Plateau<br>Wagen grösse<br>mm |  |  |
|------------|--------------|-----------|-----|------|------------------------------------|--|--|---|---|
| GC-MA30-TF | 600x750x695H | 400/3N+T  | 275 | 0,37 | 300                                | 0 ÷ 29   | 300x270  | 52  | 0,55  |
| GC-MA30-MF | 600x750x695H | 230/1N+T  | 275 | 0,37 | 300                                | 0 ÷ 29   | 300x270  | 52  | 0,55  |
| GC-MA33-TF | 600x750x705H | 400/3N+T  | 275 | 0,37 | 330                                | 0 ÷ 29   | 300x270  | 53  | 0,55  |
| GC-MA33-MF | 600x750x705H | 230/1N+T  | 275 | 0,37 | 330                                | 0 ÷ 29   | 300x270  | 53  | 0,55  |
| GC-MA35-TF | 600x750x715H | 400/3N+T  | 370 | 0,50 | 350                                | 0 ÷ 29   | 300x270  | 54  | 0,55  |
| GC-MA35-MF | 600x750x715H | 230/1N+T  | 370 | 0,50 | 350                                | 0 ÷ 29   | 300x270  | 54  | 0,55  |
| GC-T37-TF  | 590x805x730H | 400/3N+T  | 380 | 0,52 | 370                                | 0 ÷ 29   | 305x295  | 59  | 0,60  |
| GC-T37-MF  | 590x805x730H | 230/1N+T  | 380 | 0,52 | 370                                | 0 ÷ 29   | 305x295  | 59  | 0,60  |

Piatto carne | Meat dish | Pour viande | Platte für Fleisch

 Accessori    
  Accessories    
  Accessoires  
 Zubehör    
  Accesorios



mod. PIANO-AF     mm. 500x750x40H

Pianetto in polietilene atossico per appoggio affettratrice | Polyethylene shelf for slicer | Etagère en polyéthylène atoxique pour trancheuses | Unterlage für Aufschnittmaschine aus lebensmit-tel-freundlichem Polyäthylén

# Sierra de huesos



mod. SO155-T



mod. SO165-T



mod. SO184-T





Segaossa a nastro  
Knochensäge



Meat saw  
Sierra-hueso de banda



Scie de boucher

| mod.    | mm.           | V - Hz     | W     | Hp  | Motore   Engine<br>Moteur   Motor<br>RPM | Lama   Blade<br>Lames   Blatt<br>mm. |  |  |
|---------|---------------|------------|-------|-----|--|--------------------------------------|---|---|
| SO155-T | 530x510x778 H | 400/3 - 50 | 1.125 | 1,5 | 1400                                     | 1550                                 | 44  | 0,50  |
| SO155-M | 530x510x778 H | 230/1 - 50 | 750   | 1   | 1400                                     | 1550                                 | 44  | 0,50  |
| SO165-T | 530x600x915 H | 400/3 - 50 | 1.125 | 1,5 | 1400                                     | 1650                                 | 51  | 0,50  |
| SO165-M | 530x600x915 H | 230/1 - 50 | 750   | 1   | 1400                                     | 1650                                 | 51  | 0,50  |
| SO184-T | 530x600x915 H | 400/3 - 50 | 1.125 | 1,5 | 1400                                     | 1840                                 | 52  | 0,50  |
| SO184-M | 530x600x915 H | 230/1 - 50 | 750   | 1   | 1400                                     | 1840                                 | 52  | 0,50  |

Acciaio anodizzato | Steel anodized | Acier anodizé | Edelstahl eloxiert